

FAITH SHIELD INDIA PVT.LTD Empowering Trust, Ensuring Security



















FAITH SHIELD INDIA PVT.LTD

H No-B-720 Block-B-12, Street No-7, Kabir Nagar, Gokal Pur, North East Delhi-110094

E-mail-sales.faithshield@gmail.com/Phone no- +91-9773822205

OUR PRODUCT RANGE

All types of Fire Extinguishers



TYPE	ABC (Multi-Purpose F/E)	
Extinguishing	Mono Ammonium phosphate (MAP) or Sodium Phosphate powder	
Size/Capacity available	1Kg,2Kg,4Kg,6Kg&9Kg	
Suitable for Fire	A, 8, C	



TYPE	Mechanical Foam
Extinguishing agent	AFFF (Aqueous Film Forming foam concentration of 3% & 6%
Size/Capacity available	9L
Suitable for Fire	A, B



TYPE	CO2
Extinguishing agent	99.9% Pure CO2
Size/Capacity available	2KG,4.5 KG
Suitable for Fire	в, с
Suitable for Fire	В, С



TYPE	WATER
Extinguishing agent	Soft water
Size/Capacity available	9L
Suitable for Fire	A



TYPE	Clean Agent
Extinguishing agent	HFC36fa/Clean Agent
Size/Capacity available	2Kg,4Kg, 6Kg
Suitable for Fire	A, B, C



TYPE	K TYPE
Extinguishing agent	MET CHEMICAL
Size/Capacity available	1KG,2KG,4KG,6KG 9KG
Guitable for Fire	Ķ.

All types of Fire Extinguisher Accessories

FIRE MAN AXE



- As per IS 926:1985
- MOC: Head of axe is welded to handle.
- 03 Handle grip is non-slippery.
- Edges are well shaped &
- Metal surface of axe is bright of chrome plated
- Insulation handle is chequered surface for providing a firm grip

FIRE BUCKET



- 01 As per IS 2546
- 02 Capacity: 91/10liter
- 03 Body thickness: More than 1mm
- 04 **Bottom Design: Hemispherical**
- 05 Side handle for supporting
 - throw: Yes
- Shape & Dimensions as per IS standard

FIRE HOOK



- 01 As per standard IS 927 02 MOC-MS & Wooden bamboo if required

FIRE BEATER

FIRE HOSE BOX & HOSE CABINET DOOR



- 01 As per IS 8096:1992.
- 02 MOC-MS & Wooden bamboo if required
- - 01 Type-Fire Hose cabinets, Fire Box
 - 02 MOC-MS/AL/SS
 - 03 Colour-Red
 - 04 Cabinet-Single/Double
 - 05 Size-Customized

FIRE BUCKET STAND



- 1) Standard: Fabrication/Designed & Capacity-Customize
- 2) Canopy: as per requirement
- 3) Colour- PO red

RESPIRATORY & INDUSTRIAL SA FETY GARMENTS



The ELSA is available in durations of 10 or 15 minutes in high visibility PVC or black anti-static polyurethane materials. The ELSA apparatus consists of a cylinder with combined cylinder valve and reducer, supply hose to constant flow hood and stowage bag. The ELSA is activated upon opening the bag whereby a pin which is attached to the ELSA hood is released

Dangri is primarily used in industrial settings where workers are exposed to a variety of hazards such as chemicals, flames, and sharp objects. The garment is designed to protect the worker's clothing and skin from damage or injury, and it can be worn over regular clothing.(Customisable as per user requirement)









Optional integrated wireless 25 field-interchangeable sensor options, including PID, NDIR, and exotics like ammonia, chlorine, and formaldehyde

Five local and remote alarms, including man down Dust-tight and waterproof (IP65-rated)

Rugged design

Onboard gas libraries include 190 VOCs and 55 combustible gases

Longest battery run-time in its class Intuitive, icondriven interface

Flippable screen Large buttons for easy navigation even with up to three glove layers Feedback Continuous data logging — six months for five sensors 24/7









CUSTOMIZATIONAVAILABLE AS PER USER REQUIREMENT

OUR SERVICES











REFILLING, HYDROSTATIC TEST, CALIBRATION OF ALL TYPES OF AIR CYLINDERS, FIRE EXTINGUISHERS & GAS DETECTORS

OUR MAJOR CLIENTS



"BRAVE HEARTS, STRONG ARMS: PROTECTING WORLD FROM FIRE'S HARM."